

1

Permutations

S10.2

Math 2 Honors - 5/5/2010
Santowski

2

Lesson Objectives

- Use the Fundamental Counting Principle to determine the number of outcomes in a problem.
- Use the idea of permutations to count the number of possible outcomes in a problem.

Math 2 Honors - 5/5/2010
Santowski

3

Fundamental Counting Theorem

- It will allow us to count the number of ways a task can occur given a series of events
- The Fundamental Counting Principle is the guiding rule for finding the number of ways to accomplish a series of tasks.

Math 2 Honors - 5/5/2010
Santowski

4

Fundamental Counting Theorem

- This principle states that *"If there are r ways to do one thing, and s ways to do another, and t ways to do a third thing, and so on ..., then the number of ways of doing all those things at once is $r \times s \times t \times \dots$ "*

Math 2 Honors - 5/5/2010
Santowski

5

EXAMPLE 1

- You are taking a test that has five True/False questions. If you answer each question with True or False and leave none of them blank, in how many ways can you answer the whole test?

Math 2 Honors - 5/5/2010
Santowski

6

EXAMPLE 1

- **Let's use the basic counting principle:**
- There are 5 stages or events: question 1, question 2, question 3, question 4, and question 5.
- There are **2 choices for each question.**
- Putting that all together we get:
- **Q 1 Q2 Q3 Q4 Q5**
- **# of ways to answer test $\rightarrow 2 \times 2 \times 2 \times 2 \times 2 = 32$**
- **So there are 32 different ways to answer the whole test.**

Math 2 Honors - 5/5/2010
Santowski

7

Math 2 Honors -
Santowski 5/5/2010

EXAMPLE 1

- Now, determine the probability of:
- (A) all correct answers are TRUE
- (B) three correct answers are FALSE
- (C) At least 2 answers are TRUE

8

Math 2 Honors -
Santowski 5/5/2010

EXAMPLE 2

- A deli has a lunch special which consists of a sandwich, soup, dessert and drink for \$4.99. They offer the following choices:
- **Sandwich:** chicken salad, ham, and tuna, and roast beef
- **Soup:** tomato, chicken noodle, vegetable
- **Dessert:** cookie and pie
- **Drink:** tea, coffee, coke, diet coke and sprite
- How many lunch specials are possible?

9

Math 2 Honors -
Santowski 5/5/2010

EXAMPLE 2

- **Let's use the basic counting principle:** There are 4 stages or events: choosing a sandwich, choosing a soup, choosing a dessert and choosing a drink.
- There are **4 choices for the sandwich, 3 choices for the soup, 2 choices for the dessert and 5 choices for the drink.**
- Putting that all together we get:
- **Sand. Soup Dessert Drink → # of lunch specials**
- **4 x 3 x 2 x 5 = 120**
- **So there are 120 lunch specials possible**

10

Math 2 Honors -
Santowski 5/5/2010

EXAMPLE 2

- Now to incorporate probabilities
- (A) Determine the probability that the meal contains a ham sandwich
- (B) Determine the probability that the meal contains a ham sandwich AND a coke
- (C) Determine the probability that the meal contains a ham sandwich OR a coke

11

Math 2 Honors -
Santowski 5/5/2010

EXAMPLE 3

- A company places a 6-symbol code on each unit of product. The code consists of 4 digits, the first of which is the number 5, followed by 2 letters, the first of which is NOT a vowel.
- How many different codes are possible?

12

Math 2 Honors -
Santowski 5/5/2010

EXAMPLE 3

- **Let's use the basic counting principle:**
- There are 6 stages or events: digit 1, digit 2, digit 3, digit 4, letter 1, and letter 2.
- In general there are 10 digits: 0, 1, 2, 3, 4, 5, 6, 7, 8, and 9. The first digit is limited to being the number 5, so there is only one possibility for that one. There are no restriction on digits 2 - 4, so each one of those has 10 possibilities.
- In general, there are 26 letters in the alphabet. The first letter, cannot be a vowel (a, e, i, o, u), so that means there are 21 possible letters that could go there. The second letter has no restriction, so there are 26 possibilities for that one.
- Putting that all together we get:
- **digit 1 digit 2 digit 3 digit 4 letter 1 letter 2**
- **# of codes 1 x 10 x 10 x 10 x 21 x 26 = 546000**
- **So there are 546000 different 6-symbol codes possible.**

13

Math 2 Honors -
Santowski 5/5/2010

EXAMPLE 3

- To incorporate probabilities
- (A) Determine the probability of having the last letter being a vowel?
- (B) Determine the probability of having a letter duplicated?

14

Math 2 Honors -
Santowski 5/5/2010

Permutations

- A permutation is an arrangement of objects, without repetition, and order being important.
- Since a permutation is the number of ways you can arrange objects, it will always be a whole number.
- The n value is the total number of objects to choose from. The r is the number of objects you actually using.
- The two key things to notice about permutations are that there is **no repetition of objects allowed** and **that order is important**.

15

Math 2 Honors -
Santowski 5/5/2010

Permutations

- Permutations specifically count the number of ways a task can be arranged or ordered
- Notations & Formula $\rightarrow {}_n P_r = P(n, r) = \frac{n!}{(n-r)!}$
- Where $n!$ means $n \times (n-1) \times (n-2) \times \dots \times 3 \times 2 \times 1$

16

Math 2 Honors -
Santowski 5/5/2010

Factorials

- Find $7!$
- Find $(7!)/(4!)$
- Find $(7!)/(5!2!)$

17

Math 2 Honors -
Santowski 5/5/2010

Permutations

- Example 1: List all permutations of the letters ABCD

ABCD	BACD	CABD	DABC
ABDC	BADC	CADB	DACB
ACBD	BCAD	CBAD	DBAC
ACDB	BCDA	CBDA	DBCA
ADBC	BDAC	CDAB	DCAB
ADCB	BDCA	CDBA	DCBA

- Now, if you didn't actually need a listing of all the permutations, you could use the formula for the number of permutations.
- There are 4 objects and you're taking 4 at a time.
- ${}_4 P_4 = 4! / (4-4)! = 4! / 0! = 24 / 1 = 24$.

18

Math 2 Honors -
Santowski 5/5/2010

EXAMPLE 1

- In how many ways can a class of 20 members select a president, vice president and treasury, assuming that the same person cannot hold more than one office.

19

Math 2 Honors -
Santowski 5/5/2010

EXAMPLE 1

- **Since we are choosing offices, which is a way to rank members, that means order is important. So we can use permutations to help us out here.**
- **First we need to find n and r :**
- n is the number of members we have to choose from → There are 20 members in this problem.
- r is the number of members we are selecting for offices at a time → There are 3 offices.
- **Putting this into the permutation formula we get:**

$${}_{20}P_3 = P(20,3) = \frac{20!}{(20-3)!} = \frac{20!}{17!} = \frac{20 \times 19 \times 18 \times 17!}{17!} = 6840$$

20

Math 2 Honors -
Santowski 5/5/2010

EXAMPLE 2

- How many different arrangements can be made using two of the letters of the word TEXAS if no letter is to be used more than once?
- Determine the probability that the "word" contains a T
- Determine the probability that the "word" contains a T or an X

21

Math 2 Honors -
Santowski 5/5/2010

EXAMPLE 2

- **Since we are arranging letters, this means order is important. So we can use permutations to help us out here.**
- **First we need to find n and r :**
- n is the number of letters we have to choose from → There are 5 letters in TEXAS.
- r is the number of letters we are using at a time → We are using 2 letters at a time.
- **Putting this into the permutation formula we get:**

$${}_5P_2 = P(5,2) = \frac{5!}{(5-2)!} = \frac{5!}{3!} = \frac{5 \times 4 \times 3!}{3!} = 20$$

22

Math 2 Honors -
Santowski 5/5/2010

Permutations with Identical Objects

- Ex 1 → What are the arrangements of the letters a, a, b ?
- Ex 2 → In how many ways can the letters of the word "coffee" be arranged?

23

Math 2 Honors -
Santowski 5/5/2010

Permutations with Identical Objects

- So we need to adjust our formula as →
- Number of distinguishable permutations that can be formed from a collection of n objects where the first object appears k_1 times, the second object k_2 times, and so on is:
- $n! / (k_1! \cdot k_2! \cdots k_t!)$
- where $k_1 + k_2 + \dots + k_t = n$

24

Math 2 Honors -
Santowski 5/5/2010

Permutations with Identical Objects

- How many distinguishable words can be formed from the letters of JEFF?

25

Math 2 Honors -
Santowski

Permutations with Identical Objects

- How many distinguishable words can be formed from the letters of JEFF?
- Solution: $n = 4$, $k_j = 1$, $k_e = 1$, $k_f = 2$
- $n!/(k_j! \cdot k_e! \cdot k_f!) = 4!/(1! \cdot 1! \cdot 2!) = 12$
- List:
- JEFF, JFEF, JFFE, EJFF, EFJF, EFFJ,
- FJEF, FEJF, FJFE, FEFJ, FFJE, and FFEJ

26

Math 2 Honors -
Santowski

Permutations with Identical Objects

- How many distinguishable words can be formed from the letters of MISSISSIPPI?

27

Math 2 Honors -
Santowski

Permutations with Identical Objects

- How many distinguishable words can be formed from the letters of MISSISSIPPI?
- Solution:
- $n = 11$, $k_m = 1$, $k_i = 4$, $k_s = 4$, $k_p = 2$
- $n!/(k_m! \cdot k_i! \cdot k_s! \cdot k_p!) = 11!/(1! \cdot 4! \cdot 4! \cdot 2!) = 34,650$

28

Math 2 Honors -
Santowski

Permutations with Circular Arrangements

- Ex → In how many ways can 4 people be arranged in a line?
- Ex → In how many ways can the same 4 people now be seated around a round table?

29

Math 2 Honors -
Santowski

Example

- In how many ways can 6 people be seated at a round table?

30

Math 2 Honors -
Santowski

Example - Solution

- How many ways are there to sit 6 people around a circular table, where seatings are considered to be the same if they can be obtained from each other by rotating the table?
- First, place the first person in the north-most chair
 - Only one possibility
- Then place the other 5 people
 - There are $P(5,5) = 5! = 120$ ways to do that
- By the product rule, we get $1 \cdot 120 = 120$
- Alternative means to answer this:
- There are $P(6,6) = 720$ ways to seat the 6 people around the table
- For each seating, there are 6 "rotations" of the seating
- Thus, the final answer is $720/6 = 120$

31

Math 1 Honors -
Santowski 5/5/2010**EXAMPLE**

- A five digit integer is formed from the digits 1,2,3,4,5,6,7,8,9 with no digit used more than once.
- (a) How many integers can be formed?
- (b) Determine the probability that the integer begins with a 3
- (c) Determine the probability that the integer contains a 6.

32

Math 1 Honors -
Santowski 5/5/2010**EXAMPLE**

- In how many ways can 9 different books be arranged on the shelf so that:
- a) 3 of the books are always together?
- b) 3 of the books are never together?

33

Math 1 Honors -
Santowski 5/5/2010**Homework**

- S10.1; p633; Q8,26-29,38,39,44
- S10.2; p639; Q1,3,4,9,13,17,21,25,27,29,35,37,39,43,47,48,49,52