

**(A) Lesson Context**

BIG PICTURE of this UNIT:	<ul style="list-style-type: none"> <li>• How do we analyze and then work with a data set that shows both increase and decrease</li> <li>• What is a parabola and what key features do they have that makes them useful in modeling applications</li> <li>• How do I use graphs, data tables and algebra to analyze quadratic equations?</li> </ul>		
CONTEXT of this LESSON:	<p>Where we've been</p> <p>In Lesson 3 &amp; 4, you looked at and analyzed for key features of graphs of parabolas</p>	<p>Where we are</p> <p>Equations for quadratic relations can be written in three forms and each form communicates key information about the features of a parabola</p>	<p>Where we are heading</p> <p>How can I use graphs and equations to make predictions from quadratic data sets &amp; quadratic models and quadratic equations</p>

**(B) Lesson Objectives:**

- Understand the connection between the standard form of a quadratic equation and the y-intercept of a parabola
- Understand the connection between the factored form of a quadratic equation and the zeroes of a parabola
- Understand the connection between the vertex form of a quadratic equation and the maximums/minimums of a parabola
- Start to see how additional features of a parabola can be determined from an equation (i.e how can an axis of symmetry be predicted from factored form? How can the zeroes be predicted from vertex form?)

**(C) KEY REVIEW POINTS → Main Point to Lesson 3**

One KEY POINT to Lesson 3 was →

**(D) STANDARD FORM:**

Use DESMOS to complete the observation table below:

EQN	y-int	x-int (zeroes)	vertex	axis of symmetry
$y = x^2 + 4x - 12$				
$y = x^2 - 5x + 6$				
$y = x^2 - 5x$				
$y = x^2 + 12x$				
$y = x^2 + 3x - 8$				
$y = x^2 + 8x + 16$				
$y = x^2 + 2x + 3$				
$y = x^2 + 4x - 12$				
$y = 2x^2 + 4x - 12$				
$y = 4x^2 + 4x - 12$				

Which feature is EASIEST TO PREDICT given the form of the equation?

How can you PREDICT where the axis of symmetry is FROM THE EQUATION?

**(E) FACTORED FORM:**

Use DESMOS to complete the observation table below:

EQN	y-int	x-int (zeroes)	vertex	axis of symmetry
$y = (x + 3)(x - 5)$				
$y = (x - 2)(x - 6)$				
$y = x(x - 7)$				
$y = (x - 3)^2$				
$y = (x - 4)(x - 2)$				
$y = 2(x - 4)(x - 2)$				
$y = -3(x - 4)(x - 2)$				
$y = (4 - x)(x - 2)$				
$y = (2x - 2)\left(\frac{1}{2}x - 4\right)$				
$y = (3x - 2)(3x - 4)$				

Which feature is EASIEST TO PREDICT given the form of the equation?

How can you PREDICT where the axis of symmetry is FROM THE EQUATION?

**(F) VERTEX FORM:**

EQN	y-int	x-int (zeroes)	vertex	axis of symmetry
$y = (x - 1)^2 - 4$				
$y = (x + 1)^2 - 9$				
$y = (x + 4)^2 + 6$				
$y = (x - 3)^2$				
$y = -(x - 4)^2 + 4$				
$y = -(x + 2)^2 - 1$				
$y = -\left(x - \frac{1}{2}\right)^2 + 2$				
$y = \frac{1}{2}(x + 4)^2 - 2$				
$y = 2(x + 5)^2 - 8$				
$y = (3x - 2)^2 - 9$				

Which feature is EASIEST TO PREDICT given the form of the equation?

How can you PREDICT where the zeroes are FROM THE EQUATION?

**(G) SUMMARY OF KEY POINTS OF LESSON 5:**

EQUATION FORM	EQUATION	KEY FEATURE	EXTENSION → ADDITIONAL FEATURE:
(1) Standard Form			
(2) Factored Form			
(3) Vertex Form			

**(C) Consolidation of Investigation with FACTORED FORM → Key Points**

- a.** Equations in the form of  $y = a(x - s)(x - t)$  are \_\_\_\_\_, provided that \_\_\_\_\_.
- b.** The equation written the form  $y = a(x - s)(x - t)$  is said to be in \_\_\_\_\_.
- c.** If  $a > 0$ , the parabola opens \_\_\_\_\_ and has \_\_\_\_\_.
- d.** If  $a < 0$ , the parabola opens \_\_\_\_\_ and has \_\_\_\_\_.
- e.** The zeroes of the quadratic can be determined by setting \_\_\_\_\_ and solving \_\_\_\_\_.  
The zeroes are then located \_\_\_\_\_.
- f.** If the zeroes are known, then the axis of symmetry can be found → \_\_\_\_\_.
- g.** Once the axis of symmetry is known, the optimal value can be found → \_\_\_\_\_.
- h.** The value of  $a$  can be determined IF \_\_\_\_\_. All known values are substituted  
into  $y = a(x - s)(x - t)$  and then solve for  $a$ .

**(D) Algebra Skills – REVIEW****a. Expanding →**

<http://www.kutasoftware.com/FreeWorksheets/Alg1Worksheets/Multiplying%20Polynomials.pdf>

**b. Factoring →**

<http://www.kutasoftware.com/FreeWorksheets/Alg1Worksheets/Factoring%201.pdf>

**(E) Examples**

**a.** Ex 1 → For the quadratic relation  $y = (x + 3)(x - 4)$ , determine:

- i.* The direction of opening.
- ii.* The zeroes
- iii.* The optimal point.
- iv.* The y-intercept.
- v.* Sketch the parabola.

**b.** Ex 2 → The zeroes of a parabola are -3 and 5. The graph crosses the y-axis at -75. Determine:

- i.* if the relation has a maximum or minimum value?
- ii.* the equation of the quadratic relation.
- iii.* the co-ordinates of the vertex.
- iv.* Sketch the parabola.

**c.** Ex 3 → Mr. S throws a ball upward from the roof of the building that is 32m tall. The ball reaches a maximum height of 50m above the ground after 3s and hits the ground 8s after being thrown.

- i.* Draw an accurate graph of the height of ball and the time in flight.
- ii.* What are the zeroes of the relation?
- iii.* What are the co-ordinates of the vertex?
- iv.* Determine an equation that models this situation.
- v.* What is the meaning of each zero?

**(F) Consolidation of Investigation with VERTEX FORM → Key Points**

- a.** Equations in the form of  $y = a(x - h)^2 + k$  are \_\_\_\_\_, provided that \_\_\_\_\_.
- b.** The equation written the form  $y = a(x - h)^2 + k$  is said to be in \_\_\_\_\_.
- c.** If  $a > 0$ , the parabola opens \_\_\_\_\_ and has \_\_\_\_\_.
- d.** If  $a < 0$ , the parabola opens \_\_\_\_\_ and has \_\_\_\_\_.
- e.** The vertex of the quadratic is located at \_\_\_\_\_.
- f.** The axis of symmetry can be found → \_\_\_\_\_.
- g.** The optimal value can be found → \_\_\_\_\_.
- h.** The value of  $a$  can be determined IF \_\_\_\_\_. All known values are substituted into  $y = a(x - h)^2 + k$  and then solve for  $a$ .
- i.** The zeroes of the quadratic can be determined by setting \_\_\_\_\_ and solving \_\_\_\_\_.
- The zeroes are then located \_\_\_\_\_.



**(G)Examples**

**a.** Ex 1 → For the quadratic relation  $y = 2(x + 3)^2 - 8$ , determine:

- i.* The direction of opening.
- ii.* The axis of symmetry
- iii.* The optimal point.
- iv.* The zeroes
- v.* The y-intercept.
- vi.* Sketch the parabola.

**b.** Ex 2 → The vertex of a parabola is at  $(-3,5)$ . The graph crosses the y-axis at 23. Determine:

- i.* if the relation has a maximum or minimum value?
- ii.* the co-ordinates of the vertex.
- iii.* the equation of the quadratic relation.
- iv.* The co-ordinates of the point opposite the y-intercept
- v.* Sketch the parabola.

**c.** Ex 3 → Mr. S throws a ball upward from the roof of the building that is 32m tall. The ball reaches a maximum height of 48m above the ground after 3s.

- i.* Draw a label sketch of the height of ball and the time in flight.
- ii.* What are the co-ordinates of the vertex?
- iii.* Determine an equation that models this situation.
- iv.* What are the zeroes of the relation?
- v.* What is the meaning of each zero?