Lesson 56 – Homogeneous Differential Equations

IBHL - Calculus - Santowski

Lesson Objectives

- Review the previous two types of FODEs that we already know how to solve
- Introduce homogeneous DEs and solve using substitution

(A) Review

- We have seen two simple types of first order Differential Equations so far in this course and have seen simple methods for solving them algebraically:
- (1) Simple DEs in the form of $\frac{dy}{dx} = f(x)$ wherein we use a simple antiderivative (or integral) to solve the DE
- (2) DEs in the form of $\frac{dy}{dx} = f(x) \times g(y)$ OR $\frac{dy}{dx} = \frac{f(x)}{g(y)}$ wherein we separate the variables in order to solve the DE

(A) Review - Practice

- Determine the general solution of the following DEs

$$(a)\ \frac{dy}{dx} = \frac{2}{1-x}$$

$$(b)\ \frac{dy}{dx} = \frac{6x+3}{x^2+x}$$

$$(c)\ \frac{dy}{dx} = \sin^2 x$$

$$(d)\ \frac{dy}{dx} = \frac{x\sin x}{e^y}$$

$$(e)\ x\sqrt{1-y^2}\,\frac{dx}{dy} = 1$$

(A) Review – Introducing Slope Fields





$$\frac{dy}{dx} = \frac{2}{1-x} \qquad \frac{dy}{dx} = \frac{6x+3}{x^2+x}$$

(A) Review – Introducing Slope Fields





$$\frac{dy}{dx} = \sin^2(x) \qquad \frac{dy}{dx} = \frac{x \sin x}{e^y}$$

Homogeneous Functions

A function f (x, y) in x and y is called a homogenous function, if the degrees of each term are equal.

Examples:

$g(x,y) = x^2 - xy + y^2$ is a homogeneous function of degree 2

$f(x,y) = x^3 + 3x^2y + 2y^2x$ is a homogeneous function of degree 3

Homogeneous Differential Equations

$$\frac{dy}{dx} = \frac{f(x,y)}{g(x,y)}$$

where f (x, y) and g(x, y) is a homogeneous functions of the same degree in x and y, then it is called homogeneous differential equation.

Example: $\frac{dy}{dx} = \frac{y^3 + 3xy^2}{x^3}$ is a homogeneous differential equation as

$y^3 + 3xy^2$ and x^3 both are homogeneous functions of degree 3.

(B) Homogeneous DEs

- A FODE in the form of $\frac{dy}{dx} = f(x,y)$ is homogeneous if it does not depend on x and y separately, but only the ratio of y/x.
  Homogeneous DEs are written in the form $\frac{dy}{dx} = f\left(\frac{y}{x}\right)$
- ALGEBRAIC STRATEGY ➔ using a substitution, these DEs can be turned into separable DEs ➔ our substitution will be $v = \frac{y}{x}$ OR $y = vx$

(C) Example #1

- Let's work with the DE

$$\frac{dy}{dx} = \frac{x+y}{x}$$

- But first, let's get a visual/graphic perspective from this SLOPE FIELD diagram



(C) Example #1

- Let's work with the DE $\frac{dy}{dx} = \frac{x+y}{x}$
- We will rearrange it (if possible) to a form of y/x
- $$\frac{dy}{dx} = \frac{x+y}{x}$$
$$\frac{dy}{dx} = \frac{x}{x} + \frac{y}{x}$$
$$\frac{dy}{dx} = 1 + \frac{y}{x}$$

(C) Example #1

- Now make the substitution wherein ***y*** = ***vx***

$$\frac{dy}{dx} = \frac{x+y}{x} = 1 + \frac{y}{x} \quad \Rightarrow \text{let } y = vx$$
$$\frac{d(vx)}{dx} = 1 + \frac{vx}{x}$$
$$\frac{d}{dx}(vx) = 1 + v \quad \Rightarrow \text{ use product rule}$$
$$v\frac{dx}{dx} + x\frac{dv}{dx} = 1 + v \quad \Rightarrow \text{ rearrange}$$
$$v + x\frac{dv}{dx} = 1 + v$$
$$x\frac{dv}{dx} = 1$$
$$\frac{dv}{dx} = \frac{1}{x} \quad \Rightarrow \text{ simple integral or separate}$$

(C) Example #1

- Now we simply integrate and simplify …..

$$\frac{dv}{dx} = \frac{1}{x} \quad \Rightarrow \text{ simple integral or separate}$$

$$\therefore v = \ln|x| + C \quad \Rightarrow \text{ but recall what v equals?}$$

$$\therefore \frac{y}{x} = \ln|x| + C \quad \Rightarrow \text{ replace C with lnC}$$

$$\therefore \frac{y}{x} = \ln|Cx|$$

$$\therefore y = x\ln|Cx|$$

(C) Example #1 – Graphic Solns

$$\frac{dy}{dx} = \frac{x+y}{x}$$



(D) Example #2

- Let's work with the DE

$$\frac{dy}{dx}=\frac{x^2+y^2}{xy}$$

- But first, let's get a visual/graphic perspective from this SLOPE FIELD diagram



(D) Example #2

- Let's work with the DE $\frac{dy}{dx}=\frac{x^2+y^2}{xy}$
- We will rearrange it (if possible) to a form of y/x
- $$\frac{dy}{dx}=\frac{x^2+y^2}{xy}$$
$$\frac{dy}{dx}=\frac{x^2}{xy}+\frac{y^2}{xy}$$
$$\frac{dy}{dx}=\frac{x}{y}+\frac{y}{x}=\frac{1}{\left(\frac{y}{x}\right)}+\frac{y}{x}$$

(D) Example #2

- Now make the substitution wherein ***y*** = ***vx***

$$\frac{dy}{dx}=\frac{1}{\left(\frac{y}{x}\right)}+\frac{y}{x} \quad \Rightarrow \text{ now let } y=vx$$

$$\frac{d(vx)}{dx}=\frac{1}{\left(\frac{vx}{x}\right)}+\frac{vx}{x}$$

$$\text{now use product rule} \Rightarrow \frac{d}{dx}(vx)=\frac{1}{v}+v$$

$$v\frac{dx}{dx}+x\frac{dv}{dx}=\frac{1}{v}+v$$

$$v+x\frac{dv}{dx}=\frac{1}{v}+v$$

$$x\frac{dv}{dx}=\frac{1}{v} \quad \Rightarrow \text{ rearrange \& separate}$$

$$vdv=\frac{1}{x}dx$$

(D) Example #2

- Now we simply integrate and simplify …..

$$vdv=\frac{1}{x}\text{dx} \quad \Rightarrow \text{ simply integrate}$$

$$\therefore \frac{1}{2}v^2=\ln|x|+C \quad \Rightarrow \text{ replace C with lnC}$$

$$\therefore \frac{1}{2}v^2=\ln|x|+\ln C \quad \Rightarrow \text{ but recall what v equals?}$$

$$\therefore \frac{1}{2}\left(\frac{y}{x}\right)^2=\ln|Cx|$$

$$\therefore y^2=2x^2\ln|Cx|$$

(D) Example #2 – Graphic Solns

$$\frac{dy}{dx} = \frac{x^2 + y^2}{xy}$$



(E) Example #3

- Let's work with the DE

$$2x^2 \frac{dy}{dx} = x^2 + y^2$$

- But first, let's get a visual/graphic perspective from this SLOPE FIELD diagram



(E) Example #3

- Let's work with the DE $2x^2\frac{dy}{dx}=x^2+y^2$

- We will rearrange it (if possible) to a form of y/x

$$2x^2\frac{dy}{dx}=x^2+y^2$$
$$\frac{dy}{dx}=\frac{x^2+y^2}{2x^2}$$
$$\frac{dy}{dx}=\frac{x^2}{2x^2}+\frac{y^2}{2x^2}$$
$$\frac{dy}{dx}=\frac{1}{2}+\frac{1}{2}\left(\frac{y}{x}\right)^2=\frac{1}{2}\left(1+\left(\frac{y}{x}\right)^2\right)$$

(E) Example #3

- Now make the substitution wherein **v =** ***y/x***

$$\frac{dy}{dx}=\frac{1}{2}\left(1+\left(\frac{y}{x}\right)^2\right)\ \Rightarrow\ \text{now let } v={}^{y}\!/_{x}$$
$$\frac{d(vx)}{dx}=\frac{1}{2}\left(1+v^2\right)$$
$$\text{now use product rule}\Rightarrow\frac{d}{dx}(vx)=\frac{1}{v}+v$$
$$v\frac{dx}{dx}+x\frac{dv}{dx}=\frac{1}{2}\left(1+v^2\right)$$
$$v+x\frac{dv}{dx}=\frac{1}{2}\left(1+v^2\right)$$
$$2v+2x\frac{dv}{dx}=1+v^2\ \Rightarrow\ \text{rearrange}$$
$$2x\frac{dv}{dx}=1-2v+v^2\ \Rightarrow\ \text{separate}$$
$$\frac{2dv}{(1-v)^2}=\frac{1}{x}dx$$

(E) Example #3

- Now we simply integrate and simplify …..

$$\frac{2dv}{(1-v)^2} = \frac{1}{x}dx \quad \Rightarrow \text{ simply integrate}$$

$$\therefore \frac{2}{1-v} = \ln|x| + \ln C \;= \ln|Cx|$$

$$\therefore \frac{2}{\ln|Cx|} = 1 - v$$

$$\therefore v = \frac{y}{x} = 1 - \frac{2}{\ln|Cx|}$$

$$\therefore y = x - \frac{2x}{\ln|Cx|}$$

23 Calculus - Santowski 8/19/17

(E) Example #3 – Graphic Solns

$$2x^2\frac{dy}{dx} = x^2 + y^2$$



24 Calculus - Santowski 8/19/17

(F) Practice Problems

$$(a)\ xy^2\frac{dy}{dx} = x^3 + y^3$$

$$(b)\ x^2\frac{dy}{dx} = y^2 + 2xy$$

$$(c)\ 2xy\frac{dy}{dx} = x^2 + y^2$$

$$(d)\ \frac{dy}{dx} = \frac{y(x-y)}{x^2}$$

$$(e)\ \frac{dy}{dx} = \frac{x-y}{x+y}$$

$$(f)\ \frac{dy}{dx} = \frac{y(x^2+y^2)}{xy^2 - 2x^3}$$

$$(g)\ \left(x + ye^{y/x}\right)dx - \left(xe^{y/x}\right)dy = 0$$

(G) Video Resources

- From patrickJMT:

- https://www.youtube.com/watch?v=vEtEAYi2cIA
- https://www.youtube.com/watch?v=-in3FyX6rtM
- https://www.youtube.com/watch?v=QOhjUwiQIG4

- From Mathispower4u
- https://www.youtube.com/watch?v=V_rKXsUIils