

5.1

Stretching/Reflecting Quadratic Relations

YOU WILL NEED

- graphing calculator
- dynamic geometry software, or grid paper and ruler




GOAL

Examine the effect of the parameter a in the equation $y = ax^2$ on the graph of the equation.

INVESTIGATE the Math


Suzanne's mother checks the family's investments regularly. When Suzanne saw the stock chart that her mother was checking, she noticed trends in sections of the graph. These trends looked like the shapes of the parabolas she had been studying. Each "parabola" was a different shape.



? What is the relationship between the value of a in the equation $y = ax^2$ and the shape of the graph of the relation?

A. Enter $y = x^2$ as Y1 in the equation editor of a graphing calculator.


B. The window settings shown are "friendly" because they allow you to trace using intervals of 0.1. Graph the parabola using these settings.




C. Enter $y = 2x^2$ in Y2 and $y = 5x^2$ in Y3, and graph these quadratic relations. What appears to be happening to the shape of the graph as the value of a increases?

Tech Support

For help graphing relations and adjusting the window settings using a TI-83/84 graphing calculator, see Appendix B-2 and B-4. If you are using a TI-*n*spire, see Appendix B-38 and B-40.



When I used $a = 1$, the graph of $y = x^2$ appeared. The parabola was too narrow. It had to be vertically compressed to fit the arch. To do this, I needed a lower value of a , between 0 and 1. I needed a positive value because the arch opens upward.



I tried $a = 0.5$, but the parabola was not wide enough.

I tried $a = 0.1$. This value gave me a better fit. I still wasn't satisfied, so I tried different values of a between 0 and 0.1. I found that $a = 0.04$ gave me a good fit.

An equation that models the bridge is $y = 0.04x^2$.

Vertically compressing the graph of $y = x^2$ by a factor of 0.04 creates a graph that fits the photograph.


In Summary

Key Idea

- When compared with the graph of $y = x^2$, the graph of $y = ax^2$ is a parabola that has been stretched or compressed vertically by a factor of a .

Need to Know

- Vertical stretches are determined by the value of a . When $a > 1$, the graph is stretched vertically. When $a < -1$, the graph is stretched vertically and reflected across the x -axis.
- Vertical compressions are also determined by the value of a . When $0 < a < 1$, the graph is compressed vertically. When $-1 < a < 0$, the graph is compressed vertically and reflected across the x -axis.
- If $a > 0$, the parabola opens upward.
- If $a < 0$, the parabola opens downward.



CHECK Your Understanding





1. Match each graph with the correct equation. The graph of $y = x^2$ is in green in each diagram.

a) $y = 4x^2$

c) $y = \frac{2}{3}x^2$

b) $y = -3x^2$

d) $y = -0.4x^2$



2. The graph of $y = x^2$ is transformed to $y = ax^2$ ($a \neq 1$). For each point on $y = x^2$, determine the coordinates of the transformed point for the indicated value of a .

a) $(1, 1)$, when $a = 5$

c) $(5, 25)$, when $a = -0.6$

b) $(-2, 4)$, when $a = -3$

d) $(-4, 16)$, when $a = \frac{1}{2}$

3. Write the equations of two different quadratic relations that match each description.

a) The graph is narrower than the graph of $y = x^2$ near its vertex.

b) The graph is wider than the graph of $y = -x^2$ near its vertex.

c) The graph opens downward and is narrower than the graph of $y = 3x^2$ near its vertex.

PRACTISING

4. Sketch the graph of each equation by applying a transformation **K** to the graph of $y = x^2$. Use a separate grid for each equation, and start by sketching the graph of $y = x^2$.

a) $y = 3x^2$

d) $y = \frac{1}{4}x^2$





b) $y = -0.5x^2$

e) $y = -\frac{3}{2}x^2$

c) $y = -2x^2$

f) $y = 5x^2$

5. Describe the transformation(s) that were applied to the graph of $y = x^2$ to obtain each black graph. Write the equation of the **black** graph.






6. Andy modelled the arch of the bridge in the photograph at the right **C** by tracing a parabola onto a grid. Now he wants to determine an equation of the parabola. Explain the steps he should use to do this, and state the equation.

7. Determine an equation of a quadratic model for each natural arch.

a) Isle of Capri in Italy


b) Corona Arch in Utah



8. Identify the transformation(s) that must be applied to the graph of $y = x^2$ to create a graph of each equation. Then state the coordinates of the image of the point $(2, 4)$.

a) $y = 4x^2$ c) $y = 0.25x^2$ e) $y = -x^2$

b) $y = -\frac{2}{3}x^2$ d) $y = -5x^2$ f) $y = \frac{1}{5}x^2$



9. By tracing the bridge at the left onto a grid, determine an equation that **A** models the lower outline of the Sydney Harbour Bridge in Australia.
10. Seth claims that changing the value of a in quadratic relations of the **T** form $y = ax^2$ will never result in a parabola that is congruent to the parabola $y = x^2$. Do you agree or disagree? Justify your decision.
11. Copy and complete the following table.

| Equation | Direction of Opening (upward/downward) | Description of Transformation (stretch/compress) | Shape of Graph Compared with Graph of $y = x^2$ (wider/narrower) |
|-----------------------|--|--|--|
| $y = 5x^2$ | | | |
| $y = 0.25x^2$ | | | |
| $y = -\frac{1}{3}x^2$ | | | |
| $y = -8x^2$ | | | |

12. Explain why it makes sense that each statement about the graph of $y = ax^2$ is true.
- If $a < 0$, then the parabola opens downward.
 - If a is a rational number between -1 and 1 , then the parabola is wider than the graph of $y = x^2$.
 - The vertex is always $(0, 0)$.

Extending




13. The graph of $y = ax^2$ ($a \neq 1, a > 0$) is either a vertical stretch or a vertical compression of the graph of $y = x^2$. Use graphing technology to determine whether changing the value of a has a similar effect on the graphs of equations such as $y = ax, y = ax^3, y = ax^4$, and $y = ax^{\frac{1}{2}}$.
14. The equation of a circle with radius r and centre $(0, 0)$ is $x^2 + y^2 = r^2$.
- Explore the effect of changing positive values of a when graphing $ax^2 + ay^2 = r^2$.
 - Explore the effects of changing positive values of a and b when graphing $ax^2 + by^2 = r^2$.

11. Answers may vary, e.g.,

| | | |
|---|--|--------------------|
| Definition: A relation that can be described by an equation with a polynomial whose highest degree is 2 | Special Properties: The graph has a vertical line of symmetry. The graph also has a single minimum or maximum value. | Quadratic Relation |
| Examples: $y = x^2 + 9x + 2$ $y = 2(x + 4)(x - 6)$ $y = 4(x + 2)^2 - 3$ | Non-examples: $y = x + 9$ $y = x^3 + 9x + 3$ $y = \sqrt{x}$ | |

Lesson 5.1, page 256

1. a) iv b) iii c) i d) ii
 2. a) (1, 5) b) (-2, -12) c) (5, -15) d) (-4, 8)
 3. a) Answers may vary, e.g., $y = 4x^2$; $y = 1.01x^2$
 b) Answers may vary, e.g., $y = 0.5x^2$; $y = -0.1x^2$
 c) Answers may vary, e.g., $y = -3.1x^2$; $y = -6x^2$



5. a) vertical stretch by a factor of 4; $y = 4x^2$
 b) vertical compression by a factor of $\frac{1}{2}$, reflected in the x -axis; $y = -\frac{1}{2}x^2$
 c) vertical stretch by a factor of 2.5, reflected in the x -axis; $y = -2.5x^2$
 d) vertical compression by a factor of $\frac{1}{4}$; $y = \frac{1}{4}x^2$
 6. Choose the point (2, -0.5), and substitute this point into $y = ax^2$; solve for a ; Answers may vary, e.g., $y = -0.125x^2$

7. a) Answers may vary, e.g., $y = -\frac{5}{9}x^2$
 b) Answers may vary, e.g., $y = -\frac{3}{16}x^2$
 8. a) vertical stretch by a factor of 4; (2, 16)
 b) reflection in the x -axis, vertical compression by a factor of $\frac{2}{3}$; $(2, -\frac{8}{3})$
 c) vertical compression by a factor of 0.25; (2, 1)
 d) reflection in the x -axis, vertical stretch by a factor of 5; (2, -20)
 e) reflection in the x -axis; (2, -4)
 f) vertical compression by a factor of $\frac{1}{5}$; $(2, \frac{4}{5})$

9. Answers may vary, e.g., $y = -\frac{1}{9}x^2$
 10. Disagree. Changing the value of a to 1 or -1 will make $y = ax^2$ congruent to $y = x^2$.

| Equation | Direction of Opening (upward/downward) | Description of Transformation (stretch/compress) | Shape of Graph Compared with Graph of $y = x^2$ (wider/narrower) |
|-----------------------|--|--|--|
| $y = 5x^2$ | upward | stretch | narrower |
| $y = 0.25x^2$ | upward | compress | wider |
| $y = -\frac{1}{3}x^2$ | downward | compress | wider |
| $y = -8x^2$ | downward | stretch | narrower |

12. a) All the y -coordinates are multiplied by a negative number. This means that all the points on the graph $y = ax^2$ are reflected in the x -axis, causing the parabola to open downward.
 b) The y -coordinates of the points on the graph are multiplied by a fraction whose magnitude is less than 1, so the points are moved toward the x -axis, making the parabola wider.
 c) Since the y -coordinate of the vertex is 0, and multiplying 0 by any number results in a value of 0, the vertex is not affected.
 13. It has the same effect on all graphs.
 14. a) As the value of a increases, the radius of the circle decreases. As the value of a decreases, the radius of the circle increases.
 b) The graph of $ax^2 + by^2 = r^2$ is a circle that has been stretched or compressed both horizontally and vertically for all values of a and b , where $a \neq 1$ and $b \neq 1$. The resulting oval shape is called an ellipse. As the value of a increases, the width of the oval shape along the x -axis decreases. As the value of a decreases, the width of the oval shape along the x -axis increases. As the value of b increases, the width of the oval shape along the y -axis decreases. As the value of b decreases, the width of the oval shape along the y -axis increases.

Lesson 5.2, page 262

1. a) $h = 3, k = 0; y = (x - 3)^2$
 b) $h = 0, k = -4; y = x^2 - 4$
 c) $h = -2, k = 0; y = (x + 2)^2$
 d) $h = 0, k = 5; y = x^2 + 5$
 e) $h = -6, k = -7; y = (x + 6)^2 - 7$
 f) $h = 2, k = 5; y = (x - 2)^2 + 5$
 2. a) iii b) v c) ii d) iv